



OUR 3 WHOLLY OWNED FACTORIES IN CHINA

With factory area of 30,000m² and production capacity 100,000m²/y, Doorwin can assure you timely delivery and the manufacturing lead time can even be shortened to 18 days. For better serving our VIP client, we have developed various products lines to meet all our clients highly customized requirements. Doorwin has been dedicating to the research of energy efficient, eco-friendly and cost-effective products and have made great progress in the heat-insulation, strength, waterproof, sound-insulation, anti-condensation technology. Our product has been evaluated to fully comply with NFRC requirements to the standards.

“ 18 DAYS MANUFACTURING LEAD TIMES ”



Million-Dollar Project 18 Days manufacturing lead times

North America Certified Manufacturer



On-Site Technical Support Available For 39 Cities Within 48 Hours

On-time Shipment Protection, Late-Delivery Refund

Transferable 10 Year . . .

ACCREDITATION AND CERTIFICATE

Testing in accordance to AAMA/WDMA/CSA
101/1.S.2/A440-11 (NAFS 2011- North American Fenestration
Standard / Specifications for Windows Doors and Skylights)



Parameter	Value	Unit	Standard
U-value	0.8	W/m²K	0.8
g-value	0.7	-	0.7
Light Transmittance	0.8	-	0.8
Sound Reduction Index	25	dB	25
Water Penetration	0	mm	0
Wind Resistance	3	Class	3
Impact Resistance	4	Class	4
Ballistic Resistance	4	Class	4



AFTERSALES SERVICE

Customer satisfaction is our most important goal. Doorwin comes with a complete ecosystem of installation and support services.

Transferable 10 years warranty

- 10 years against glass unit failure (hermetic failure) on factory fitted glazing.
- 10 years against manufacturing defects
- 10 years against ironmongery failure
- 5 years parts and labour & add tional 5 years only

pledges to provide service consultation within 24 hours globally

Sales Contact

doumm@msn.com



<https://www.vendvit.ca>



COMFORT IN. Weather out.

Low-E Glass Collect on feature our most innovative and energy-saving choices, designed for your specific needs. Our product has been evaluated in full compliance with NFRC requirements to the standards.


U-factor: **0.18** Bth/hr·ft²·F



ALUMINUM WINDOW



Our exclusive Ultra-Narrow Frame is **35%** slimmer than the regular frame.



S70-Series • ULTRA-NARROW FRAME TILT TURN WINDOWS

CONTEMPORARY STYLE · Maximum light and flexibility



* Sobinco chrono invisio go concealed hinge provides excellent strength and durability without sacrificing aesthetics.

* A slim frame deserves a slim handle. Our escutcheon-free handle does away with the traditional cover plate for a minimalist, modern feel.



TECHNICAL CHARACTERISTICS

Aluminum Profile Thickness		1.8mm
Visible Width (Outside)	Frame	14mm
	Sash	39mm
Profile Depth	Frame	70mm
	Sash	70mm
Glass (Thickness)		28mm

PERFORMANCE

Wind Load Resistance	9	Water Tightness	5
Thermal Insulation	8	Sound Performance	3
Air Tightness	8	Daylighting Performance	

A61-Series • ENERGY EFFICIENT TILT TURN WINDOWS

Up to 31% energy savings on your heating and cooling bills

Seamlessly Welded Joint




* Integrating with the top grade hardware from Europe, the maximum bear loading has been increased to 170kg sash.


* The standard 35mm glass thickness can fit for various glazing such as triple glazing and louver glass.

TECHNICAL CHARACTERISTICS

Aluminum Profile Thickness		1.6mm
Visible Width (Outside)	Frame	39mm
	Sash	41mm
Profile Depth	Frame	61mm
	Sash	70mm
Glass (Thickness)		35mm



PERFORMANCE

 Wind Load Resistance	9	 Water Tightness	5
 Thermal Insulation	8	 Sound Performance	4
 Air Tightness	8	 Daylighting Performance	



ALUMINUM DOOR




A75-Series • SECURITY CASEMENT INSIDE / OUTSIDE DOORS



* To ensure the security, A series doors apply the multi-point locking system which possesses the top class of anti-burglar function in Europe.







* A series doors have diverse designs such as single panel, double panels and exit door, etc. Equipping with intelligent system, it can not only be used as the entrance door in apartments or hotels, but also can be applied in public buildings.



TECHNICAL CHARACTERISTICS

Aluminum Profile Thickness		2.0mm
Visible Width (Outside)	Frame	45mm
	Sash	96mm
Profile Depth	Frame	75mm
	Sash	84mm
Glass (Thickness)		39mm

PERFORMANCE

 Wind Load Resistance	9	 Water Tightness	5
 Thermal Insulation	8	 Sound Performance	4
 Air Tightness	8	 Daylighting Performance	

ULTRA LARGE LIFT SLIDING DOOR





A-Series • ULTRA-HIGH ULTRA-WIDE LIFT SLIDING DOORS

ULTIMATE SOLUTION · Superior visual enjoyment




* The load bearing capacity is up to 400kg per panel, which will satisfy the demand for larger opening space, and offer superior visual enjoyment.

* Any arrangements of opening ways are available for products less than 6 panels, which meets the needs of custom design.

TECHNICAL CHARACTERISTICS

Aluminum Profile Thickness	2.0mm	
Visible Width (Outside)	Frame	40mm
	Sash	95mm
Profile Depth	Frame	210mm
	Sash	55mm
Glass (Thickness)	34mm	



PERFORMANCE

	Wind Load Resistance	8		Water Tightness	5
	Thermal Insulation	8		Sound Performance	4
	Air Tightness	8		Daylighting Performance	

MULTI PANELS BI-FOLD DOORS

The luxury of indoor/outdoor living

* Configuring two to eight panels, it can create an opening up to 21' wide by 8' high. That's large enough to extend the interior right out into the garden or the veranda, or to connect with another room.



BUILT-IN SHUTTER

MANUALLY CONTROLLED / ELECTRONIC REMOTE CONTROL




* The factory built-in shutter technology comprises an aluminum frame with integrated blinds sealed between insulated glasses. They ensure maximum energy efficiency by giving you precise manual or electronic control over the heat and sunlight entering the room.

* built-in shutter dramatically reduces HVAC costs and allows for easy adjustment of sunlight and heat entering the room. And it prevents UV rays from damaging interior decorations.





WOODEN WINDOW




TRIPLE GLAZED SEALED UNIT
 Improved energy saving unit contains low-emissivity glass and argon filled cavities:
 5mm+12mm Argon + 5mm + 12mm Argon + 5mm Advanced Low-E

High performance timber windows and doors for energy efficiency

U-VALUES AS LOW AS 0.18 BTH/HR·FT²·F

Timber windows last a lifetime. Look around and you will see that in our historic buildings some have been in situ for over 150 years. The way our windows have been designed and engineered ensures the lowest maintenance required and low cost in use over full life cycle.

This makes them the best choice for social housing projects, and new or refurbished council housing stock, where quality is essential for life cycle costing. Even more so in privately financed leased back projects.



LIFE EXPECTANCY OF WINDOWS - OVER 60 YEARS

A comparison of the useful service life of a variety of window types

Low u values – long life cycle

Energy efficient alu-clad timber windows can be supplied with a u value of 0.18 Bth/hr·ft²·F, (using triple glazing) which achieves the high annual energy consumption targets

A lower u value high performance window product, with supreme airtightness and some passive solar gain, achieves massive savings elsewhere in the build programmed particularly in the mechanical and engineering and insulation packages, resulting in lower energy consumption figures and more than meeting the targets set.

American-Style Crank Open Casement Window

CONFIGURATION WOOD COLLECTION ALUMINUM TREATMENTS



WOOD COLLECTION

Whichever you choose, our wooden window will be naturally appealing and true to your home's architectural design.



ALUMINUM TREATMENTS

We offer a wide range of other colors from a standardised palette. These colors are carefully selected based on the most popular choices both nationally and internationally.




U-factor: **0.20** Bth/hr.ft2.F

STANDARD CONFIGURATIONS

- AMERICA ORIGIN BRAND TRUTH HARDWARE SYSTEM
- FULLY TEMPERED DOUBLE GLAZING
- (Triple Panes, Low-E Insulating Glass With Argon Gas Available)
- FULL DIVIDED LIGHT GRILLE
- SEAMLESSLY WELDED JOINT TECHNOLOGY
- REMOVABLE MOSQUITO SCREEN

SEAMLESSLY WELDED JOINT TECHNOLOGY
Virtually maintenance free, aluminum and timber windows have an extruded aluminum exterior with industrial strength paint for superior resistance to fading and flaking.



HARDWARE SYSTEM ACCESSORIES OPENING WAYS



AMERICAN ORIGIN BRAND ANTI-THEFT AND ANTI-SKID FUNCTION HARDWARE SYSTEM

The smooth control folding hardware systems allow for easy operation with a simple turn of the handle.

The lock is engineered to secure casement windows firmly at multiple points with just one handle. It also features a "reach out" action that pulls in the sash for a weather-tight seal.



FULL DIVIDED LIGHT GRILLE

Duplex glazing bars combine 28mm wide aluminium exterior and 28mm wide wooden interior, secured to the glass with an additional spacer in between, giving the appearance of divided panes.



INTERIOR GRILLE WIDTHS 7/8"



CUSTOM SIZES

Available in custom sizes and without a nailing flange to fit into your existing opening, making installation quick and easy.



CUSTOM SIZES


SCREEN OPTIONS

Removable Mosquito Screen



high-visibility

GRILLE STYLES



OPENING WAYS

Push Out Awning



Push Out French Casement



European- Style Tilt And Turn Window

BETWEEN-THE-GLASS ART GLASS

You can order Doorwin's between-the-glass art glass. Color palettes and accent jewels for custom combinations are predetermined by style of art glass.



CONFIGURATION WOOD COLLECTION ALUMINUM TREATMENTS

HARDWARE SYSTEM ACCESSORIES OPENING WAYS



WOOD COLLECTION

Whichever you choose, our wooden window will be naturally appealing and true to your home's architectural design.



GERMANY ORIGIN BRAND ANTI-THEFT AND ANTI-SKID FUNCTION HARDWARE SYSTEM

The Electroplating Handle Can Be Used Repeatedly.



The Friction Stay Can Even Work Lastingly More Than 200,000 Times.



The Multi-Point Locks Have Fewer Parts, But Per Lock Point Can Hold 400 lbs and are More Resistant to Insect and Light Infiltration.



FULL DIVIDED LIGHT GRILLE

Duplex glazing bars combine 28mm wide aluminum exterior and 28mm wide wooden interior, secured to the glass with an additional spacer in between, giving the appearance of divided panes.



ALUMINUM CLAD EXTERIORS

Seamlessly Welded Joint are stronger and more airtight.



SCREEN OPTIONS

Different Options Of Screen Mesh Available



U-factor: **0.18** Bth/hr·ft²·F

STANDARD CONFIGURATIONS

- GERMANY ORIGIN BRAND ROTO/SEGENA HARDWARE SYSTEM
- FULLY TEMPERED DOUBLE GLAZING
- (Triple Panes, Low-E Insulating Glass With Argon Gas Available)
- FULL DIVIDED LIGHT GRILLE AVAILABLE
- SEAMLESSLY WELDED JOINT TECHNOLOGY
- MANUAL, ELECTRIC MOSQUITO INVISIBLE SCREENS AVAILABLE

ALUMINUM TREATMENTS

We offer a wide range of other colors from a standardized palette. These colors are carefully selected based on the most popular choices both nationally and internationally.



DIFFERENT TYPES

External aluminum cladding provides maintenance free protection of the timber.



WOODEN WINDOW WITH EXTERIOR ALUMINUM CLADDING

Thermal break aluminum profile provides good energy-efficient performance



THERMAL BREAK ALUMINUM WINDOW WITH INTERIOR WOOD CLADDING

Professional wood treatment -- FINGER JOINT WOOD



SOLID WOOD WINDOW

OPENING WAYS



European- Style Push Out Casement Window

WINDOW OPENING CONTROL DEVICE

Window opening control device option limits the casement sash opening to 4" or less when engaged.



CONFIGURATION WOOD COLLECTION ALUMINUM TREATMENTS

HARDWARE SYSTEM ACCESSORIES OPENING WAYS



WOOD COLLECTION

Whichever you choose, our wooden window will be naturally appealing and true to your home's architectural design.



GERMANY ORIGIN BRAND ANTI-THEFT AND ANTI-SKID FUNCTION HARDWARE SYSTEM

The Electroplating Handle Can Be Used Repeatedly.



The Sash Limiter allows you to safely open your window on windy days.



The Multi-Point Locks Have Fewer Parts, But Per Lock Point Can Hold 400 lbs and are More Resistant to Insect and Light Infiltration.




FULL DIVIDED LIGHT GRILLE

Duplex glazing bars combine 28mm wide aluminium exterior and 28mm wide wooden interior, secured to the glass with an additional spacer in between, giving the appearance of divided panes.



ALUMINUM-CLAD EXTERIORS

Seamlessly Welded Joints are stronger and more airtight.



CUSTOM SIZES

Available in custom sizes and without a nailing flange to fit into your existing opening, making installation quick and easy.



ALUMINUM TREATMENTS

We offer a wide range of other colors from a standardised palette. These colors are carefully selected based on the most popular choices both nationally and internationally.



U-factor: **0.20** Bth/hr-ft²-F

STANDARD CONFIGURATIONS

- GERMANY ORIGIN BRAND ROTO/SIEGENIA HARDWARE SYSTEM
- FULLY TEMPERED DOUBLE GLAZING
- (Triple Panes, Low-E Insulating Glass With Argon Gas Available)
- FULL DIVIDED LIGHT GRILLE AVAILABLE
- SEAMLESSLY WELDED JOINT TECHNOLOGY
- MANUAL, ELECTRIC MOSQUITO INVISIBLE SCREENS AVAILABLE

DIFFERENT TYPES

External aluminum cladding provides maintenance free protection of the timber.



WOODEN WINDOW WITH EXTERIOR ALUMINUM CLADDING

Thermal break aluminum profile provides good energy-efficient performance.



THERMAL BREAK ALUMINUM WINDOW WITH INTERIOR WOOD CLADDING

OPENING WAYS

Push Out Awning



Push Out French Casement




Explore the Possibilities SPECIALTY SHAPE WINDOW

ROUND TOP POLYGONS FIXED LIGHT



SIGNATURE PRODUCTS


Whatever your business requires,
or need something totally unique,
we offer a lot on



SHAPES & CONFIGURATIONS ART GLASS COLOUR OPTIONS FULL DIVIDED LIGHT GRILLE


SHAPES & CONFIGURATIONS

It's not an exhaustive list of combinations, shapes and sizes, contact us for further guidance.



FULL DIVIDED LIGHT GRILLE

Duplex glazing bars combine 28mm wide aluminium exterior and 28mm wide wooden interior, secured to the glass with an additional spacer in between, giving the appearance of divided panes. When you need something totally unique, we provide tailored solutions and endless opportunities for modifying and customizing DOORWIN products.



ART GLASS COLOUR OPTIONS

You can order art glass designs in standard colour palettes, or create custom combinations. Colour palettes and accent jewels for custom combinations are predetermined by style of art glass. For more on custom capabilities.



Eucalyptus Design

Queen Anne Design

Victoria Design

Art & Crafts Design

Explore the Possibilities

BAY & BOW WINDOW

BAY WINDOW BOW WINDOW GARDEN WINDOW



BUILT-IN SHUTTER

Double glazing tempered glass with integral blinds, better heat insulation and soundproof performance.



CASEMENT OR DOUBLE HUNG WINDOWS CAN BE JOINED TOGETHER

COMBINATIONS

IT COULD BE COMBINED WITH CASEMENT, PICTURE AND SPECIALTY WINDOWS.



PUSHOUT
CASEMENT
WINDOW



HOPPER WINDOW




SIMULATED
DOUBLE HUNG
TILT TURN WINDOW

Tilt Turn function in a simulated double hung for a traditional look.



SINGLE/DOUBLE
HUNG WINDOW



POLYGON WINDOW



AMERICAN CASEMENT
WITH FOLDABLE
CRANK HANDLE

PICTURE WINDOW





WOOD GLASS DOORS

Doorwin timber products offer an all round, sustainable door solution. A double glazed casement, with external aluminum cladding available, as well as extremely good thermal performances are making this range more and more popular.

GERMANY STYLE **ALU-CLAD** **WOOD GLASS DOOR**

BUILT-IN SHUTTER
French door with tilt and turn operation, mosquito net and built-in shutter system



GLAZED WALL WITH FRENCH DOOR



DOUBLE GLAZING FRENCH DOOR WITH A FIXED SIDELIGHT AND AN ARCHED TOP TRANOM

COMMERCIAL-GRADE PERFORMANCE
DESIGNED FOR DURABILITY AND TO MINIMIZE AIR AND WATER INFILTRATION.

- * Energy efficient double glazing give a best U-value of 0.18 W/m²K overall
- * Laminated (engineered) frames constructed from FSC certified Pine/Oak prevent warping and twisting.
- * External aluminum cladding provides maintenance free protection of the timber.
- * Aluminum is powder coated to a range of 250 RAL Classic colors.



Wood glass door made of laminated oak, Brenner walnut stained Front glass door with central opening sash and fixed sidelights.

SOLID WOOD ENTRY DOORS

American Style Solid Wood Entry Doors, designed with a single sash or with symmetric and asymmetric sashes, present different aesthetic solutions, from the traditional to the contemporary style up to customized design. All entry doors can reach the maximum degree of anti-intrusion safety according to the materials and hardware used. Furthermore, entry doors can be provided with specific features for assuring acoustic performances.



AMERICAN STYLE SOLID WOOD ENTRY DOORS

DOUBLE ARCHED TOP DOORS
killed workteam are willing to assist in all your needs. All of them have more than 10 years wood door producing experience.



CHESTNUT STAINED OAK

WHITE BRUSHED OAK



One sash entry door made of chestnut stained oak



Entry door of white brushed oak, one sash





PROJECT REFERENCES

Project References

Private House

Newport Beach, CA, USA

Product Description:

- Teak wood clad aluminum window
- French casement window with grille design

Antoine, Builder

"...They are great, look very nice... I may have the opportunity to connect you with a promising Door/Window distributor..."



Private House

Laguna Road Santa Rosa, CA, USA

Product Description:

- Thermal break aluminum window with interior oak wood cladding
- French window with arched fixed transom

John, Homeowner

"...I looked in both Europe and Asia and ordered samples from a number of suppliers. Once I saw the samples, it was clear that Doorwin offered the best combination of technology, quality and price... I could not be more pleased with the quality, fit and finish of the product. I highly recommend the Doorwin Group for all your window and door needs. One more thing, they are great people to work with."



Private House

NEW JERSEY, USA

Product Description:

- Alu-clad oak wood window
- French casement window with grille design
- Arched top French casement window with grille design

Mark, Contractor

"...the windows and doors are beautiful and everybody comments on how nicely the work was done..."



Mosque

Mississauga, ONTARIO, CANADA

Product Description:

- Alu-clad oak wood window
- Arched top window frame with carved glass
- Arched fixed transom and bottom rectangle awning window
- Alu-clad oak wood entry door
- Double glazing wood glass door with arched top transom

Salim, Contractor

"...The windows look fantastic and everyone is very happy... The finishing and workmanship is very good..."

Project References

Private House

San Diego, CA, U.S.A

Product Description:

- Oak wood clad thermal break aluminum window
- Tilt turn window
- Two lite window with one operating window and one fixed lite

Patrick, Homeowner

"...They look amazing! Thx Vincent for ur help, it's definitely worth the wait."



Private House

San Diego, CA, U.S.A

Product Description:

- Alu-clad lift sliding door
- Double glazing French casement door

John, Builder

"...they look great, thanks Vincent..."



Resort

TURKS AND CAICOS ISLANDS, BWI

Product Description:

- Thermal break aluminum window with built-in shutter
- Tilt turn casement window with arched top fixed transom
- Solid red oakwood entry doors

Marco, Contractor

"...They look great you might have to fly here for a video of the property to promote your windows and doors."



Private House

Boston, Massachusetts, USA

Product Description:

- White powder coating Thermal break aluminum single hung window
- White powder coating thermal break aluminum picture window with grille design

John, Homeowner

"We just finished all the installation and everything is perfect. It is my first time importing from China, but it turns out to be a wonderful experience, you helped a lot on my project."

Project References

Private House

NEW JERSEY, USA

Product Description:

- Alu-clad oak wood window
- French casement window with grille design
- Arched top French casement window with grille design



Private House

San Diego, CA, USA

Product Description:

- Pine wood window
- French casement window with grille design



Mike, Designer

"...The wood windows look very good. The Chinese have always had some difficulty with finishes..."



Private House

Seattle, WA, USA

Product Description:

- Alu-clad oak wood window
- Push-out casement window with grille design
- French casement window with grille design

Janice, Homeowner

"...The windows have been a really positive experience. We like them a lot. And they seem really well made."



Private House

Princeton, NEW JERSEY, U.S.A.

Product Description:

- Black powder coating thermal break aluminum window
- German style tilt turn window
- Black powder coating sliding door

Nancy, Homeowner

"...It is absolutely beautiful and very high quality. We loved it..."

Project References

Swimming Pool Enclosure

VALLEYFIELD, CANADA

Product Description:
- Curtain Wall with Life Slide Door



Ilie, House owner

"Your window performance is excellent. outside is very cold while inside is very warm in winter. And the heat is kept inside and make my swimming pool warm and comfortable."

Private House

Los Angeles, CA, U.S.A.

Product Description:
- Thermal break aluminum ultra-slim frame windows
- Germany style tilt turn window
- Ultra-slim frame picture window



Jack, Home owner

"...The windows are exactly what I am looking for and the quality is more than perfect. Thanks for your help, Jeff..."



Private House

WINDSOR, CANADA

Product Description:
- Oak Wood Window With Exterior Aluminum Cladding
- Tilt Turn Windows With Built-in Shutter and Reflective Glass

Elena, Home owner

"...windows are already installed, they are awesome and we LOVE them very much. You guys are very professional and the drawings you provided help us a lot on the installation."



Private House

WINDSOR, CANADA

Product Description:
- Oak wood windows with exterior aluminum cladding
- Tilt Turn windows with built-in shutter and reflective glass

Ovidiu, Home owner

"...your windows are with very good quality and nice looking, and overall it is a great investment for us, thank you very much for your support."